



equalseal.com  
PO Box #13665  
Fairlawn OH 44334  
Phone: (330) 984-0747  
Fax: (330) 752-4119

## Cork Composition

Natural Cork (Composition) is a very economical, all-purpose gasket material, which is composed of a 10/20 grind composition cork.



Cork Composition	Physical Properties
Density ASTM D3676	10 to 14 lbs/ft <sup>3</sup>
Tensile Strength (min) ASTM F152 (Method B)	43.5 psi
Compressibility @ 100 psi ASTM F36 (Procedure F)	30 to 45 %
Recovery (min) ASTM F36 (Procedure F)	75 %
Flexibility (max) ASTM F148 (Procedure A)	No Disintegration
ASTM F104 Callout	F217000RT